



## OASIS SD Range

DEHUMIDIFIERS



# OASIS SD Range

## Special Features

- Robust panel design cabinetry
- Fully closed cabinetry design
- Compact size
- Efficient and proven technology
- High quality = longevity
- Compact size
- Advanced defrost system available
- Great quality-performance-price ratio



Our OASIS SD Range is designed with a greater focus on durability and usability. This range fits perfectly in environments where ruggedness and high abuse are the norm.


The increased robust construction of this dehumidifier is made possible with its full steel-paneled cabinet enclosure. The SD Range comes in capacities of 220 and 270 with reinforced polymer wheels and folding side handles for ease of lifting during transportation.

The OASIS SD is ideal for commercial and industrial purposes ranging from construction companies to drying equipment rental companies.

## Standard Equipment

- Steel grille
- ON/OFF switch
- Hot gas defrost system
- Four reinforced rotary wheels
- Polymer mesh air filter
- Continuous drain connection
- Steel panels construction
- Ergonomic foldable side handles
- Container compartment door
- Cord hanger
- Automatic float switch for water container with indication light






**Options:**

- Condensate Pump Drainkit
- Hour Meter
- Power Meter

**Available Colours:**

- Grey
- Black&Yellow
- Custom



# TECH SPEC ■

Product	OASIS SD Range	
<b>Model</b>	D220 SD	D270 SD
<b>Weight (kg)</b>	28	28.5
<b>Dimensions (cm)</b>	60h x 38w x 37d	60h x 38w x 37d
<b>Power consumption (Watts)</b>	300	400
<b>Capacity (L/day) :</b>		
<b>10°C, 70% Relative Humidity</b>	6.4	8
<b>20°C, 60% Relative Humidity</b>	7.4	9.5
<b>27°C, 60% Relative Humidity</b>	12.8	16.6
<b>30°C, 80% Relative Humidity</b>	22.5	27.2
<b>Air Flow (Cubic meters/hr)</b>	510	510
<b>Refrigerant</b>	R134a	R134a
<b>Refrigerant Charge Weight</b>	300	320
<b>Power Supply</b>	220-240V, 50/60Hz	220-240V, 50/60Hz
<b>Hot Gas Defrost System</b>	Standard	Standard
<b>Thermostat Defrost System</b>	Option	Option
<b>Electronic Sensor defrost System</b>	Option	Option
<b>Grille/Cabinet</b>	Metal panels	Metal panels
<b>Wheels</b>	4 x 50mm	4 x 50mm
<b>Handles</b>	Side	Side
<b>Drainage System</b>	Yes	Yes
<b>Operating Control</b>	ON/OFF	ON/OFF
<b>Air Filter</b>	Yes	Yes

## OASIS IRELAND

Bunree Industrial Estate,  
Ballina, Co. Mayo, Ireland,  
F26 D5R3.  
+353 96 71222

## OASIS POLAND

ul.Gutenbergga 20,  
44-164, Gliwice, Poland  
+48 32 332 65 01

[www.oasis.ie](http://www.oasis.ie)

[info@oasis.ie](mailto:info@oasis.ie)