



KaliX

POINT-OF-USE COOLER





KaliX

Special Features

- Push button water dispensing
- Safety lock hot button
- Optional Mechanical Autodrain
- Optional factory installed green filter system
- Integrated cup dispenser (CD Models only)
- Large alcove for refilling sports bottles & carafes
- Pressure Vessel Direct Chill technology

OASIS's **KaliX** presents itself with features that all great coolers possess; from simple design, ease of use, and maintenance, to a refreshing cup of water.

Designed for effortless servicing and sanitisation, the front door panel allows for easy access to filters.

OASIS Direct Chill Point of Use Coolers offer significant hygiene benefits. As the water enters the system, it passes into a pressure vessel and is chilled as it moves through the vessel to the point of dispense. This provides a consistent delivery of chilled water as the water does not come into contact with air until it is dispensed.

Unique to **KaliX** is our KaliX Mechanical AutoDrain to help prevent overflowing drip trays.

Codes

- P1PVKY (P1PVCDKY)
- P1PVHSY (P1PVCDHSY)
- P1PVHSKY (P1PVCDHSKY)

Colour Options

- Silver & Dark Grey
- Light Grey & Dark Grey
- LUXE LINE:**
- LUXE Silver & White
- LUXE Gold & White





TECH SPEC

Product	KaliX		
Model	P1PVKY	P1PVHSY	P1PVHSKY
	P1PVCDKY	P1PVCDHSY	P1PVCDHSKY
Type	Cook & Cold	Hot & Cold	Tri-Temp
Weight (kg)	23.4	24.6	24.6
Cold Tank Capacity (litres)	1.5	1.5	1.5
Hot Tank Capacity (litres)	-	1.5	1.5
Dimensions (cm)	112hx 32w x 38d	112hx 32w x 38d	112hx 32w x 38d
Power consumption (Watts)	100	620	620
Total Current (Amps)	0.8	2.8	2.8
Cold Water Performance (litres/hr)			
21°C ambient	20	20	20
27°C ambient	-	-	-
32°C ambient	8.5	8.5	8.5
38°C ambient	-	-	-
Hot Water Performance (litres/hr)			
	-	7.9	7.9

OASIS IRELAND

Bunree Industrial Estate,
Ballina, Co. Mayo, Ireland,
F26 D5R3.
+353 96 71222

OASIS POLAND

ul. Gutenberga 20,
44-164, Gliwice, Poland
+48 32 332 65 01

www.oasis.ie

info@oasis.ie